

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2023- 2024

Clinical Material in Hospital

Faculty: NURSING

Name of College/Institute: **JIIU's, MOTHER HAWWA COLLEGE OF NURSING**
 Warudi, Badnapur-Tq, Jalna-Dist.: 431202.

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded Own / Parent Hospital (Affiliated hospital must be 50 bedded or more.) Noor Hospital: 870 bedded Own hospital (attached to IIMSR Medical College & Noor Hospital)	Own & Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Yes Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) 1:4	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) : 89%	Adequate
d.	Clinical facilities for PG to be verified : (As per MSR): NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	NA
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be mark as "Inadequate" with evidence. 	


 Principal Stamp & Signature

PRINCIPAL
JIIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

आरोग्य विभाग, जिल्हा परिषद, जालना
HEALTH DEPARTMENT, ZILLA PARISHAD, JALNA.

फॉर्म - सी Form - C

सन १९४९ च्या दि बाँबे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टच्या कलम ५ च्या
अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of the Bombay
Nursing Homes Registration Act 1949

(नियम ५ अन्वये) (Under Rules 5)

क्रमांक No. 238

दि बाँबे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ अन्वये श्री. Jamia Islamia Ishaatul Uloom यांचे
Warudi/Badnapur येथील "IIMSR (Medical College) Noor Hospital" नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले
असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri. Jamia Islamia Ishaatul Uloom has been registered under Bombay
Nursing Homes Registration Act 1949. In respect of IIMSR (Medical College) Noor Hospital Warudi
situated at Badnapur, Dist. Jalna having bed strength of 870 beds has been authorized to carry on the
Nursing Home.

रजिस्ट्रेशन क्रमांक 238
Registration. No.

रजिस्ट्रेशन दिनांक
Date of Registration: 31/10/2009

ठिकाण Place : - Warudi, Tq. Badnapur
Dist. Jalna

सर्टिफिकेट दिल्याचा दिनांक :
Date of Issue Certificate: 16/2/2022

सदरचे सर्टिफिकेट दिनांक 31/3/2025 पर्यंत कार्यवाहीत राहील
This Certificate shall be Valid up to 31/3/2025



K. Jagtapkar
16/2/22
District Health Officer
Zilla Parishad, Jalna.

जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, जालना.
District Health Officer, Zilla Parishad, Jalna.

[Signature]
PRINCIPAL

JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



JIU's MOTHER HAWWA COLLEGE OF NURSING

(JIU's Indian Institute of Medical Science & Research and Noor Hospital)

Aurangabad - Jalna Road, Warudi, Tq. Badnapur, Dist. Jalna - 431 202 (M.S.)

Telefax : 02482-222515, 636480/81, Email : motherhawanursing@gmail.com, Web : www.mhcon.co.in

MHCN No. : EST/966/22

Date : 24/06/2022

To;
The Dean
JIU's, Indian Institute of Medical Science & Research
Warudi, Tq-Badnapur, Dist.-Jalna.

Respected sir,

Subject: Request to Grant Permission for UHTC & RHTC/PHC.

With reference to the above mentioned subject, I hereby request you to grant permission to avail Community Health Nursing practical/clinical training as per MUHS norms for our JIU's, Mother Hawwa College of Nursing students at our UHTC (Zam-Zam Hospital/Urban Health Training Centre) at Town hall area, Jalna and RHTC/PHC (Rural Health Training Centre) at Kasturwadi, Tq-Badnapur, Dist.-Jalna from the academic year 2020-21 onwards.

Thanking you.


With regards


Principal
PRINCIPAL


JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



To
Prof & HoD Com. Medicine
Please allow them as per
their time table.
Permissions granted.



Again
24/06/22
JIU's Indian Institute Of Medical Science & Research
Warudi, Tq. Badnapur, Dist. Jalna-431202


Principal
JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

कार्यालय : जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, जालना.

1570

दूरध्वनी क्र (०२४८२) २२५७०३
फॅक्स क्र (०२४८२) २२५७०३
E-mail : dhojalna@gmail.com
dhojalna@rediffmail.com



जाक्र/जिपजा/आरोग्य/सास्त्रो/नप्र /१९
कार्यालय जिल्हा परिषद जालना
दिनांक :- ०३/०४/२०१९

प्रति,

मा. अधिष्ठाता,

आय. आय. एम. एस. आर.

वैद्यकीय महाविद्यालय वरुडी ता. बदनापुर

विषय:- बी.एस.सी. नर्सिंग विद्यार्थ्यांना प्रा.आ.केंद्र/उपकेंद्र येथे प्रात्यक्षिक अनुभवाकरीता परवानगी देणे बाबत

संदर्भ:- आपले पत्र दि. ३०/०४/२०१९.


उपरोक्त विषयान्वये कळविण्यात येते की, आपले संदर्भिय पत्रान्वये बी.एस.सी. नर्सिंग विद्यार्थी यांना प्रात्यक्षिक अनुभवासाठी प्राथमिक आरोग्य केंद्र सोमठाणा व उपकेंद्र बदनापुर, गेवराई बाजार, व धोपटेश्वर तसेच प्राथमिक आरोग्य केंद्र वाकुळणी व उपकेंद्र कुमळी, रोषणगाव या संस्थांसाठी परवानगी देण्यात येत आहे.

प्रतिलिपी

१. वैद्यकीय अधिकारी, प्राथमिक आरोग्य केंद्र सोमठाणा/वाकुळणी ता. बदनापुर यांना माहीतीस्त्व

जिल्हा आरोग्य अधिकारी,
जिल्हा परिषद, जालना.

जिल्हा आरोग्य अधिकारी,
जिल्हा परिषद, जालना.



Scanned by CamScanner

Principal,
MOTHER HANRA B.Sc. COLLEGE OF NURSING,
WARUDI TQ. BADNAPUR DIST. JALGAON-421202

JIIU's Mother Hawwa College of Nursing
Warudi, Badnapur-Tq, Jalna-Dist.


Ref. No.:

Date:

Staffs Supervised in Community Health Postings

The following faculties are posted to supervise the students during Community Health Nursing Postings in Rural & Urban area as per the clinical rotation plan along with PHC staffs according the MUHS norms.

1. Mr. Krishna Taddapalli.
2. Mr. Ashish Dhillpe


PRINCIPAL
JIIU'S MOTHER HAWWA B.C. COLLEGE OF NURSING
WARUDI TQ, BADNAPUR DIST, JALNA-431202

'G'

Date:-09/09/2017

Sub:- Slab area statement Noor hospital building for JIU'S Indian Institute of Medical Science and Research center vill. varudi, Tq. Badnapur, Dist jalna, maharashtra

Page no-1

Statement for Slab area for Noor Hospital building.

Item Description	Area	Unit
1st slab (G.F)	2727.61	Sq.m
2nd slab (1st floor)	2584.45	Sq.m
3rd slab. (2nd floor)	2492.83	Sq.m
4th slab. (3rd floor)	2456.93	Sq.m
5th slab. (4th floor)	2492.83	Sq.m
6th slab. (5th floor)	2488.55	Sq.m
Lecture Hall bottom sloping slab.	197.02	Sq.m
Water tank Bottom / Top slab.	75.28	Sq.m
Oxy gen plant 5 nos slab (159.69 Sq.mX5)	798.45	Sq.m
Toer slabs	89.16	Sq.m
Lift room slabs.	80.00	Sq.m
Total slab area for Hospital Building in Sq.m	16483.11	Sq.m
Total slab area for Hospital Building in Sq.ft.	177358.29	Sq.ft.

RIYAZ KHAN & ASSOCIATES
Prem Complex, Azad Chowk,
Aurangabad Reg.No.E-591-2015



Principal
JIU'S Mother Hanwa B.Sc. College
Road-Jalna Road, Warudi, Tq. Badnapur, Dist. Jalna

Principal
JIU'S MOTHER HANWA B.SC. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



Noor Hospital

Aurangabad - Jalna Road, Warudi, Tq. Badnapur, Dist. Jalna - 431 202 (M.S.)
Telefax : 02482-222515, 636480/81, Email : iimsr11@gmail.com, Website : www.iimsr.net

Maulana Ghulam Muhammad Vastanvi
Chairman

Dr. Ilyas Bemat (M.D.-Physio.)
Chief Executive Officer

IIMSR No.:

Date:

DEPARTMENT	NO. OF BEDS
Medicine	160
Surgery	160
Gynecology	130
Ophthalmology	40
Orthopedics	90
ENT	40
Pediatrics	100
TB	20
Skin	35
Psychiatric	50
ICCU	15
Emergency Medicine	30
Total Bed	870



[Signature]
PRINCIPAL

JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

[Signature]
PRINCIPAL

JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

JIU's, MOTHER HAWWA COLLEGE OF NURSING

Department wise Numbers of OPD patients in Noor Hospital

SR NO	OPD	Average
1.	Medicine	85%
2.	Surgery	85%
3.	Gynecology	80%
4.	ANC	85%
5.	Pediatrics	85%
6.	Orthopedic	80%
7.	Dental	90%
8.	ENT	75%
9.	Ophthalmology	90%
10.	Psychiatric	80%
11.	Communicable disease(TB Chest)	75%
12.	Skin disease	75%

[Handwritten Signature]

[Handwritten Signature]

PRINCIPAL
JIU'S MOTHER HAWWA B.Sc. COLLEGE OF NURSING
WARUDI TQ. BAGHAPUR DIST. JALNA-431202



Regd. No.
SI-161-09

planner
Interior
designer
3D View
Land Survey
&
valuer

Riyaz Khan & Associates
consulting engineer

Date :- 22-06-2017



HOSPITAL BUILDING COMPLETION CERTIFICATE


This is to certify that the building of JIU'S Noor Hospital , warodi,
Tq.Badnapur, Dist. Jalna, has been completed as per M.C.I.Norms .


Gram state no.488

Plot no.03

Hence Certified.


Principal
JIU'S Mother Hawwa B.Sc. College of Nursing
Azad-Jalna Road, Warudi, Tq. Badnapur, Dist. Jalna


RIYAZ KHAN & ASSOCIATES
Prem Complex, Azad Chowk,
Aurangabad Reg.No.E-591-2015


PRINCIPAL
JIU'S MOTHER HAWWA B.Sc. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

₹. 100

ONE HUNDRED RUPEES



सत्यमेव जयते

भारत INDIA

INDIAN NON JUDICIAL

Security patterns and serial numbers

GU 121363

MAHARASHTRA

15 APR 2013

अधिकारी
जिल्हा कार्यालय
जिल्हा कार्यालय

दिनांक किंमत कोणाकरिता
2-5-13 100

बिडर इन्वॉयसचे लक्षित सो. पी. आर. मानवणे
हो आहे.

CONTRACT AGREEMENT FOR COLLECTION, TRANSPORTATION, TREATMENT & DISPOSAL OF BIO-MEDICAL WASTE


This agreement is executed as per the permission granted by the M.P.C.B. in favour of Atul Environment Services, Dawalwadi, Dist. Jalna. In respect of collection transportation & disposal Bio-Medical waste as per the requirement of the parties against the consideration decided by themselves which is described as under. Atul Environment Services, Jalna got permission from MPCB Mumbai wide their letter order no. MPCB/PAMS/BMW/AD-9761-12/AD-26/2012 dated 26/04/2012 validity up to 31/01/2015. So the agreement is done today with reference of this order & agreement dated 16/04/2012. This Agreement is executed today on this day of 04/05/2013 at Mauje Warudi, P.O. Georai, Tq. Badnapur, Dist. Jalna. W.e.f. 17/04/2013.

Between:

1. Medical Superintendent,
Indian Institute of Medical Science and Research
(Noor Hospital)
Mauje Warudi, P.O. Georai
Tq. Badnapur, Dist. Jalna
(Successor at Present)
(Herein called as party No.1)

Name : Dr R. M. Khadri
Age : 63 years
Resident Of: I.I.M.S.R
Warudi, Tq. Badna

PRINCIPAL
JIIU'S MOTHER MAWVA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



And

2) Atul Environment Services,
(Herein called as party No.2)

Name: Atul Kisan Warade



Age: 44 years

Resident of: Aurangabad.

Whereas the party no.2 is contractor and for doing the said above work as per the rules and regulations of M.P.C.B.

Terms & Conditions:

1. The bio-medical waste generated by hospitals is defined as follows:
 - a) Human Anatomical Waste
(Human tissues, Organs, body parts)
 - b) Microbiology & Biotechnology Waste
(Waste from laboratory cultures, stocks or specimens of micro-organisms
Live or attenuated vaccines, human and animal cell culture used in
Research and infectious agents from research and industrial laboratories,
Wastes from production of bio-logical, toxins, dishes and devices used
For transfer of cultures)
 - c) Waste Sharps
(Needles, syringes, scalpels, blades, glass, etc. that may cause puncture
and cuts. This includes both used and unused sharps)
 - d) Discarded medicines, cytotoxic drugs
(Wastes comprising of outdated, contaminated and discarded medicines)
 - e) Soiled Waste
(Items contaminated with blood and body fluids including cotton, dressings,
soiled plaster casts, lines, beddings, other material contaminated with blood).
 - f) Solid Waste
(Wastes generated from disposable items other than the waste sharps such
as tubbings, catheters, intravenous sets etc).



PRINCIPAL

JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WADHAI TO. RADNAPUR DIST. JALNA-431202

[Handwritten Signature]

[Handwritten Signature]

All the above material (waste) is to be segregated and stored in prescribed bags with label of Bio-medical waste rules which are having specific color codes as per M.P.C.B. Act. The material is to be segregated by hospital house-keeping department.

2. In the Bio-medical waste bag no other waste is allowed such as foodstuff, carry bags, fruits, papers, coconut, flowers etc. Waste should be as specified in BMW Rules & M.T.P Act. If any type of waste which is not covered under these acts is found in the collected waste, the concerned HCE will be answerable to any action initiated by MPCB or any other authority in this regard.
3. **The Plastic bag must be properly labeled, tied, having Barcode Sticker and filled 3/4th only & while packing ensures that there is no leakage in the bag .Bags without label and Barcode stickers will not be collected. No matter will be entertained if all these conditions are not fulfilled and the waste will not be collected.**
4. Label for transport of Bio-medical Waste Container/Bags

Waste category no.	Day.....Month.....Year
Waste class	Date of generation
Waste description	
Sender's Name & Address	Receiver's Name & Address
Ph. No.	Ph. No.
Telex No.	Telex No.
Fax No.	Fax No.
Contact Person	Contact Person

In Case of emergency please contact :

Name & Address :

.....

..... Phone.....



Note: Label shall be non-washable and prominently visible.

[Handwritten Signature]



[Handwritten Signature]

[Handwritten Signature]
PRINCIPAL


JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

-  
5. The contractor must collect the B.M.W from entire City. Hence Hospital should make arrangement to collect all B.M.W. At one place along with filled bags in the hospital premises. The Co-operation in this way should be extended to the contractor.
 6. That, segregated material will be collected by the contractor's staff and transported by their own vehicles which are as per the B.M.W. (M & H) rules 1998.
 7. Both the parties are abiding to sign on their card whether the waste material is available or not. The responsibility of put the bags into the vehicle is that of concerning institute / hospital.
 8. The collected bio-medical waste to dispose it is contractor's responsibility.
 9. Bio-medical waste collection timing will be 10 a.m. to 5 p.m.
 10. The disposal charges of Bio-medical waste will be as under:-
 - a) Rs. 34500/- (Thirty Four Thousand Five Hundred Only) Per/Month.
 - b) The charges only applicable for 300 beds.
 - c) If increase bed strength in future then the charges also increase as per bed quantity.
 - d) The taxes will be charged extra as applicable by rules then existing.
 - e) Every year 15% agreed charges will be increased.
 11. The payment for collection, transportation and disposal is to be paid on 5th day of Each english calendar month. The Atul Environment will issue receipt of the same. Institute has to pay cash amt. for Plastic bags on date of purchasing only.
 12. If the anyone Institute fails to make the payment regularly as per agreement to contractor, The contractor will wait up to 2 months and after that contractor will stop the service and inform to MPCB, Local Authority and the concern institute will be responsible for further cause and legal consequence which will be adore in future.
 13. Plastic bags, Barcode stickers and labels required for the waste collection will be provided by contractor at the rate of Rs.200 per kg, Rs. 1 per sticker and Rs. 1 per label respectively.
 14. Bio-Medical Waste generated on the day of National Holidays, Public Holidays, & Collector Declared Holidays will be collected on the next day but the charges for that day will be added in the bill.

- 
- 
15. The total system will be carried out as M.P.C.B. rules and regulations by law 1998,
The respected amendment for the both the laws will be corporate as and when published.
 16. It is necessary for Party No.2 to collect to Bio-Medical waste regularly and daily from consent institute if Party No.2 (Contractor) fails to do it then he will be answerable to M.P.C.B. at the any time.
 17. Injection needles should be terminated within the institute. Hence needle terminator should be kept in the institute. This is mandatory by the Govt.
 18. Any type of Bio-medical waste for eg. Plastic bottles, I V sets, I V Bottles, Syringes, glass bottles should be given to contractor only. It is not allowed to sell in the scrap or dispose at any other public place by mistake of patient/ hospital servant .For this type of mistake only hospital will be held responsible.
 19. In premises of institution/hospital any path lab, DMLT is running, which is having license of third party will have to pay the charge as per above contract.
 20. If the institute/hospital remain closed at the arrival of Bio-Medical Waste Collection Vehicle, the concerning institute will have to pay the charge of that particular day even if the waste is not available.
 21. Written information must be submitted to service provider if any extra or less beds are employed rather than mentioned in contract. Double charges will be payable for the extra beds for that month. If the no. of beds does not match with the no. of beds mentioned in Membership application form, we will be forced to report the matter to M.P.C.B.
 22. The charges of amputation will be decided after the mutual consent of party No.1 and 2. The detailed information about the person for whose visible amputation is done must submit to the party No.2. The information such as Name, Age, Address, Sex, amputation date, time etc. must produce on letter head with stamp. Amputation will not collect until & unless the information should be on the authorized letterhead.
 23. The contract period is of 20 yrs from the date of agreement and renewal of contract will be done with mutual understanding between both parties before 1 months of finishing the contract. If any party wants to break the contract must intimate to the other party before 2 months.




PRINCIPAL
JITU'S MOTHER HAMWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BACHAPUR DIST. JALNA-431202





24. The term and conditions are strictly followed for the both parties. No claim will be entertained thereafter.

25. The above contract is made without fear/threat/drink.


(1) Medical Superintendent
Indian Institute of Medical Science and Research
(Noor Hospital)
Mauje Warudi, P.O. Georai
Tq. Badnapur, Dist. Jalna
(Herein called as party no.1)



Succesor at Present

(2) Atul Environment Services,
Dawalwadi, Tq. Badnapur, Dist. Jalna
(Herein called as party no.2)

Name : Atul Kisan Warade
Age : 43 yrs.
Resident of: Aurangabad.



PRINCIPAL

JIIU'S MOTHER HAWVA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

ATUL ENVIRONMENT SERVICES
GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentsservices1@gmail.com



Unique Registration No.: BNHP0006

Provisional Registration Certificate

Date: 29-May-2023

Outward No.: AES/23-24/000127

This is to certify that INDIAN INSTITUTE OF MEDICAL SCIENCE AND RESERCH CENTRE, PLOT NO. 478, AURANGABAD- JALNA ROAD, WARUDI, TQ. BADNAPUR, DIST. JALNA-431202 is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

DR. ILYAS YAQUB BEMAT
DOCTOR

2. Bombay Nursing Home Act Registration Details
a. BNH Registration Number
b. BNH Issue Date
c. Total Number of Beds
d. BNH Validity (Form 'C')

238
16-Feb-2022
870
31-Mar-2025

3. Common Treatment Facility Registration Details
a. Date of Registration
b. No. of Beds Registered
c. Registration Validity

16-Apr-2012
870
28-May-2024

4. Renewal of CTF Membership (if applicable)
a. Renewal Date
b. No. of Beds Registered

28-May-2024
870

5. MPCB Consent (Establish/ 1st Operate/Renewal) Details
a. Consent/ CCA Number
b. Issue Date
d. Validity up to

0000081771/CR/2211002138
25-Nov-2022
31-May-2023



For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



f. D. Shah
PRINCIPAL
JITU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I
No:- Format1.0/CAC/UAN
No.0000081771/CR/2211002138

Date: 25/11/2022

To,
M/s Indian Institute of Medical Science & Research
Medical Collage (Noor Hospital)
Warudi, Post: Givari Bazar, Tal- Badnapur, Dist-Jalna.



Sub: 1st Combined Consent to operate under Red Category

- Ref:**
1. Combine Consent and Bio-Medical Authorization granted by the Board vide no. MPCB/PAMS/BMW/AD-12425-113/AD-35/2013 Dated 25.02.2013
 2. Your application for Combine Consent and Bio-Medical Authorization dated 26.11.2019
 3. The minutes of Consent Appraisal Committee meeting dated 20.05.2022.

Combined Consent to Renewal and BMW Authorization.


For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.05.2023**
2. **The capital investment of the project is Rs.103.7669 Crs. (As per C.A Certificate submitted by industry -).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	545	Nos
b)	Total Plot Area	17973.15	Sq.Mtrs
c)	Total Built up Area	16996.90	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	5	As per Schedule - I	Treated effluent recycled up to maximum extent and remaining disposed on land for gardening/ in to sewerage system of Local Body



P. D. Chhab.
PRINCIPAL
JIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSING
WARUDI TO BADNAPUR DIST. JALNA-431202

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	50	As per Schedule - I	As above

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Sets [200 KVA, 125 KVA,62 KVA,32 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Solid Waste	170	Kg/Day	Composting	Used as manure
2	Wet Waste	85	Kg/Day	Composting	Used as manure
3	Dry Waste	84	Kg/Day	Sale/ Composting	Reuse/ Used as manure

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	3300.00	Yellow colored non-chlorinated plastic bags or containers	CBMWTSDF
		b) Soiled Waste	3750.00		
		c) Chemical Waste	5400.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	510.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	480.00		
2	White (Translucent)	Waste sharps including Metals	3600.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.



P. D. Phal
PRINCIPAL
JIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSING
WARUDI TQ. BADNAPUR DIST. JALNA-431202

4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
13. PP shall install ETP & STP within 6 Months.



f. Dehah
 PRINCIPAL

JIU'S MOTHER HAWWA B.S.C. COLLEGE OF NURSING
 WARUDI TQ. BADNAPUR DIST. JALNA-431202

14 PP shall provide pretreatment for yellow category waste.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



e595a9c5
c1d54831
a2f86fe3
1e3e9081
5169a121
3c00f41d
e64dfdb3
bf532e8a

Signed by: Dr. Y.B.Sontakke
Joint Director(WPC) & InCharge Of CAC-Cell
For and on behalf of,
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2022-11-25 17:08:39 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	5457253	16/11/2019	NEFT
2	207534.00	5456815	23/12/2019	RTGS
3	1452738.00	MPCB-DR-7979	21/09/2021	NEFT
4	375700.00	MPCB-DR-11771	11/05/2022	RTGS
5	69368.00	MPCB-DR-13830	16/08/2022	NEFT
6	54178.00	MPCB-DR-15484	21/11/2022	NEFT

0

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Jalna
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC Desk for record & website updation purposes.



PRINCIPAL
JIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSI
WARUDI TQ. BADNAPUR DIST. JALNA-431202

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 5.00 CMD consisting of Primary (Collection tank, Neutralization tank) .
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 50 CMD for the treatment of 50 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30
2	COD	Not to exceed	100
3	Suspended Solids	Not to exceed	50

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



P. Oshah
PRINCIPAL

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	10

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG Set [200 KVA]	Acoustic Enclosure and stack	08	HSD	42 Kg/Hr	1.00	20.16
S-2	DG Set [125 KVA]	Acoustic Enclosure and stack	08	HSD	26 Kg/Hr	1.00	12.48
S-3	DG Set [62 KVA]	Acoustic Enclosure and stack	08	HSD	13 Kg/Hr	1.00	6.24
S-4	DG Set [32 KVA]	Acoustic Enclosure and stack	08	HSD	7 Kg/Hr	1.00	3.36

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



[Signature]
PRINCIPAL

5. Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	1,00,000



P. P. Phale
 PRINCIPAL

JJIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSING
 WARUDI TQ. BADNAPUR DIST. JALNA-431202

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	50,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	50,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.



6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.



f. D. Shah
PRINCIPAL
 JIU'S MOTHER HANWA B.S.C. COLLEGE OF NURSING
 WARUDI TO, BADNAGUR DIST. J.



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Thank you. Your payment has been successfully received with following details.

Transaction Receipt

Transaction Status: Success
Transaction Reference no: YHDF1958748718
Transaction no: TXN2306003325
Transaction On: 22-06-2023 16:07:07
Payment For: MPCB-CONSENT-0000172447
Email: pathanfazil2010@gmail.com
bill no: 9764877777
Amount: 314555.75 INR.



P. Bahal
PRINCIPAL

JIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSING
WARUDT TO, BADNAPUR DIST. JALNA-431202



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Thank you. Your payment has been successfully received with following details.

Transaction Receipt

Transaction Status: Success
Transaction Reference no: YHMP1914971726
Transaction no: TXN2305004790
Transaction On: 31-05-2023 17:35:51
Payment For: MPCB-CONSENT-0000172447
Email: pathanfazil2010@gmail.com
Mobile no: 9764877777
Amount: 100000.00 INR.



P. Pathan
PRINCIPAL

JIU'S MOTHER HAWWA B.SC. COLLEGE OF NURSING
WARUDI TO. GADCHAPUR DIST. MALWA-431001